By:

Tom Friers, Chief of Flight Operations (TA-A5 Flt Ops)



_Operations Support Division

- SLF Operations Overview (handout)
- Aerial Photos
- Restricted Airspace discussion
- ♦ Tour 1000 1100
 - Landing Equipment T-Shelter
 - RLV Hangar (Space Florida)
 - Ops Building (J6-2313)
 - Ramp
 - Runway
 - Mid-field Site
 - ♦ Tower



SLF Overview

_Operations Support Division

- Located in R-2934 (active by NOTAM)
- ♦ Rwy 15/33 has 2' crown & cross grooves for drainage middle 8000' – taxiway at SE corner
- Rwy 15,000' x 300' (16" thick) w/1000' asphalt overrun
- 50' asphalt traffic lane each side of Rwy
- ♦ 50' wide concrete Tow Way leads from Rwy to OPFs
- Propane Bird Cannon system
- Distance Remaining Markers 4' x 4' illuminated
- ◆ Air Traffic Control Tower mid-field East side open Mon Fri (0800 – 1700)



SLF Overview

Operations Support Division

- ♦ HIRL edge lights w/ 5 step settings located 199' apart
- ALSF-2 Approach Lighting System w/ 5 step settings
- Ramp area in front of Bldg J6-2313 is 550' x 480'
- ♦ RLV Hangar (approx 45,000 sq ft) owned by Space Florida; currently Starfighters have 1/3 and NASA 2/3
- Published RNAV (GPS) approaches to both Rwy 15 and 33 with MDA of 360' and 540' respectively
- ♦ 4753 operations in 2010; 3634 in 2011; est 3700 in 2012
- Wildlife Hazard Assessment being conducted by US Dept of Agriculture




Center Operations Directorate Operations Support Division











Operations Support Division

Questions/Comments